

AlliedView NMS EE サポート機種とファームウェアバージョン

AlliedView NMS EE では、以下に示すハードウェアおよび対応するファームウェアバージョンをサポートします。

2015/5/11 現在

機種名	ファームウェアバージョン	R12.2.1	R14.0.2	R14.2	R14.3	R14.3.2	R15.2.1
AT-SBx8112	5.4.2-3.6	×	×	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-0.3	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○ ※1	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.12	×	×	×	×	○	○
	5.4.3-3.13	×	×	×	×	○	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.3a	×	×	×	×	×	○ ※2
	5.4.4-0.4	×	×	×	×	×	○
	5.4.4-0.5	×	×	×	×	×	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○ ※3
	5.4.4-3.5	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-SBx8106	5.4.3-3.7	×	×	×	×	×	○
	5.4.3-3.12	×	×	×	×	×	○
	5.4.3-3.13	×	×	×	×	×	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.3a	×	×	×	×	×	○ ※2
	5.4.4-0.4	×	×	×	×	×	○
	5.4.4-0.5	×	×	×	×	×	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○ ※3
	5.4.4-3.5	×	×	×	×	×	○
AT-SBx908	5.3.4-0.4	○	×	×	×	×	×
	5.3.4-0.5	○	×	×	×	×	×
	5.3.4-0.6	○	×	×	×	×	×
	5.3.4-0.7	○	×	×	×	×	×
	5.3.4-0.8	○	×	×	×	×	×
	5.4.1-0.1	○	×	×	×	×	×
	5.4.2-2.5	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.2-3.12	×	×	×	○	○	○
	5.4.2-3.13	×	×	×	○	○	○
	5.4.2-3.15	×	×	×	×	○	○
	5.4.3-0.2	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	×	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.10	×	×	×	×	○	○
	5.4.3-3.16	×	×	×	×	×	○
AT-SBx8106	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-0.6	×	×	×	×	×	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-SBx908	5.3.4-0.4	○	×	×	×	×	×
	5.3.4-0.5	○	×	×	×	×	×
	5.3.4-0.6	○	×	×	×	×	×
	5.3.4-0.7	○	×	×	×	×	×
	5.3.4-0.8	○	×	×	×	×	×
	5.4.1-0.1	○	×	×	×	×	×
	5.4.2-2.5	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.2-3.12	×	×	×	○	○	○

機種名	ファームウェアバージョン	R12.2.1	R14.0.2	R14.2	R14.3	R14.3.2	R15.2.1
AT-x900-24XT	5.3.4-0.5	○	×	×	×	×	×
	5.3.4-0.6	○	×	×	×	×	×
	5.3.4-0.7	○	×	×	×	×	×
	5.3.4-0.8	○	×	×	×	×	×
	5.4.1-0.1	○	×	×	×	×	×
	5.4.2-2.5	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.2-3.12	×	×	×	○	○	○
	5.4.2-3.13	×	×	×	○	○	○
	5.4.2-3.15	×	×	×	×	○	○
	5.4.3-0.2	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	×	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.10	×	×	×	×	○	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-0.6	×	×	×	×	×	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x900-24XS	5.3.4-0.5	○	×	×	×	×	×
	5.3.4-0.6	○	×	×	×	×	×
	5.3.4-0.7	○	×	×	×	×	×
	5.3.4-0.8	○	×	×	×	×	×
	5.4.1-0.1	○	×	×	×	×	×
	5.4.2-2.5	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.2-3.12	×	×	×	○	○	○
	5.4.2-3.13	×	×	×	○	○	○
	5.4.2-3.15	×	×	×	×	○	○
	5.4.3-0.2	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	×	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.10	×	×	×	×	○	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-0.6	×	×	×	×	×	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x900-12XT/S	5.3.4-0.5	○	×	×	×	×	×
	5.3.4-0.6	○	×	×	×	×	×
	5.3.4-0.7	○	×	×	×	×	×
	5.3.4-0.8	○	×	×	×	×	×
	5.4.1-0.1	○	×	×	×	×	×
	5.4.2-2.5	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.2-3.12	×	×	×	○	○	○
	5.4.2-3.13	×	×	×	○	○	○
	5.4.2-3.15	×	×	×	×	○	○
	5.4.3-0.2	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	×	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.10	×	×	×	×	○	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-0.6	×	×	×	×	×	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AW+ XEM モジュール AT-XEM-24T	-	×	×	×	×	○	○
AW+ XEM モジュール AT-XEM-12S V2	-	×	×	○	○	○	○
AW+ XEM モジュール AT-XEM-12T V2	-	×	×	○	○	○	○
AW+ XEM モジュール AT-XEM-12S	-	○	○	○	○	○	○
AW+ XEM モジュール AT-XEM-12T	-	○	○	○	○	○	○
AW+ XEM モジュール AT-XEM-1XP	-	○	○	○	○	○	○
AW+ XEM モジュール AT-XEM-2XP	-	○	○	○	○	○	○
AW+ XEM モジュール AT-XEM-2XS	-	×	○	○	○	○	○
AW+ XEM モジュール AT-XEM-2XT	-	×	○	○	○	○	○
AW+ XEM モジュール AT-XEM-STK	-	○	○	○	○	○	○

機種名	ファームウェアバージョン	R12.2.1	R14.0.2	R14.2	R14.3	R14.3.2	R15.2.1
AT-x610-24Ts/X	5.4.2-1.4	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.12	×	×	×	×	○	○
	5.4.3-3.13	×	×	×	×	○	○
	5.4.3-3.14	×	×	×	×	×	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.5	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x610-24Ts/X-POE+	5.4.2-1.4	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.12	×	×	×	×	○	○
	5.4.3-3.13	×	×	×	×	○	○
	5.4.3-3.14	×	×	×	×	×	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.5	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x610-24SPs/X	5.4.2-1.4	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.12	×	×	×	×	○	○
	5.4.3-3.13	×	×	×	×	○	○
	5.4.3-3.14	×	×	×	×	×	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.5	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x610-48Ts/X	5.4.2-1.4	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.12	×	×	×	×	○	○
	5.4.3-3.13	×	×	×	×	○	○
	5.4.3-3.14	×	×	×	×	×	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.5	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x610-48Ts/X-POE+	5.4.2-1.4	×	○	○	○	○	○
	5.4.2-3.7	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○	○	○
	5.4.3-3.7	×	×	×	×	○	○
	5.4.3-3.12	×	×	×	×	○	○
	5.4.3-3.13	×	×	×	×	○	○
	5.4.3-3.14	×	×	×	×	×	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.5	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x600-48Ts	5.3.4-0.4	○	×	×	×	×	×
	5.3.4-0.5	○	×	×	×	×	×
	5.3.4-0.6	○	×	×	×	×	×
	5.3.4-0.8	○	×	×	×	×	×
	5.4.1-0.2	○	×	×	×	×	×
	5.4.2-0.2	×	○	○	○	○	○
	5.4.2-3.10	×	×	○	○	○	○
	5.4.2-3.12	×	×	×	○	○	○
AT-x600-48Ts-LM ※4	5.4.2-3.12	×	×	×	○	○	○

機種名	ファームウェアバージョン	R12.2.1	R14.0.2	R14.2	R14.3	R14.3.2	R15.2.1
AT-x600-48Ts/XP	5.3.4-0.4	○	x	x	x	x	x
	5.3.4-0.5	○	x	x	x	x	x
	5.3.4-0.6	○	x	x	x	x	x
	5.3.4-0.8	○	x	x	x	x	x
	5.4.1-0.2	○	x	x	x	x	x
	5.4.2-0.2	x	○	○	○	○	○
	5.4.2-3.10	x	x	○	○	○	○
	5.4.2-3.12	x	x	x	○	○	○
AT-x600-24Ts	5.3.4-0.4	○	x	x	x	x	x
	5.3.4-0.5	○	x	x	x	x	x
	5.3.4-0.6	○	x	x	x	x	x
	5.3.4-0.8	○	x	x	x	x	x
	5.4.1-0.2	○	x	x	x	x	x
	5.4.2-0.2	x	○	○	○	○	○
	5.4.2-3.10	x	x	○	○	○	○
	5.4.2-3.12	x	x	x	○	○	○
AT-x600-24Ts-POE	5.4.2-0.2	x	○	○	○	○	○
	5.4.2-3.10	x	x	○	○	○	○
	5.4.2-3.12	x	x	x	○	○	○
AT-x600-24Ts/XP	5.3.4-0.4	○	x	x	x	x	x
	5.3.4-0.5	○	x	x	x	x	x
	5.3.4-0.6	○	x	x	x	x	x
	5.3.4-0.8	○	x	x	x	x	x
	5.4.1-0.2	○	x	x	x	x	x
	5.4.2-0.2	x	○	○	○	○	○
	5.4.2-3.10	x	x	○	○	○	○
	5.4.2-3.12	x	x	x	○	○	○
AT-x510-28GTX	5.4.3-1.4	x	x	x	○	○	○
	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-3.7	x	x	x	x	○	○
	5.4.3-3.9	x	x	x	x	○	○
	5.4.3-3.12	x	x	x	x	○	○
	5.4.3-3.13	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-0.6	x	x	x	x	x	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○
AT-x510-52GTX	5.4.3-1.4	x	x	x	○	○	○
	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-3.7	x	x	x	x	○	○
	5.4.3-3.9	x	x	x	x	○	○
	5.4.3-3.12	x	x	x	x	○	○
	5.4.3-3.13	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-0.6	x	x	x	x	x	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○
AT-x510-28GSX	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-3.7	x	x	x	x	○	○
	5.4.3-3.9	x	x	x	x	○	○
	5.4.3-3.12	x	x	x	x	○	○
	5.4.3-3.13	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-0.6	x	x	x	x	x	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○
AT-x510-28GPX	5.4.3-1.4	x	x	x	○	○	○
	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-3.7	x	x	x	x	○	○
	5.4.3-3.9	x	x	x	x	○	○
	5.4.3-3.12	x	x	x	x	○	○
	5.4.3-3.13	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-0.6	x	x	x	x	x	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○

機種名	ファームウェアバージョン	R12.2.1	R14.0.2	R14.2	R14.3	R14.3.2	R15.2.1
AT-x510-52GPX	5.4.3-1.4	x	x	x	○	○	○
	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-3.7	x	x	x	x	○	○
	5.4.3-3.9	x	x	x	x	○	○
	5.4.3-3.12	x	x	x	x	○	○
	5.4.3-3.13	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-0.6	x	x	x	x	x	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○
AT-IX5-28GPX	5.4.3-3.7	x	x	x	x	x	x
	5.4.3-3.9	x	x	x	x	x	x
	5.4.3-3.12	x	x	x	x	x	x
	5.4.3-3.13	x	x	x	x	x	x
	5.4.3-3.16	x	x	x	x	x	x
	5.4.4-0.4	x	x	x	x	x	x
	5.4.4-0.5	x	x	x	x	x	x
	5.4.4-0.6	x	x	x	x	x	x
	5.4.4-1.1	x	x	x	x	x	x
	5.4.4-2.3	x	x	x	x	x	x
	5.4.4-2.4	x	x	x	x	x	x
	5.4.4-3.5	x	x	x	x	x	x
AT-x510DP-28GTX	5.4.4-2.3	x	x	x	x	x	x
	5.4.4-2.4	x	x	x	x	x	x
	5.4.4-3.5	x	x	x	x	x	x
	5.4.4-3.6	x	x	x	x	x	x
AT-x510DP-52GTX	5.4.3-3.7	x	x	x	x	x	○
	5.4.3-3.9	x	x	x	x	x	○
	5.4.3-3.12	x	x	x	x	x	○
	5.4.3-3.13	x	x	x	x	x	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	x	○
	5.4.4-0.5	x	x	x	x	x	○
	5.4.4-0.6	x	x	x	x	x	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○
AT-x210-9GT	5.3.4A-3.6	x	○	○	○	○	○
	5.3.4A-3.7	x	x	○	○	○	○
	5.3.4A-3.8	x	x	○	○	○	○
	5.4.3-0.1	x	x	x	○	○	○
	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-2.6	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○
AT-x210-16GT	5.3.4A-3.6	x	○	○	○	○	○
	5.3.4A-3.7	x	x	○	○	○	○
	5.3.4A-3.8	x	x	○	○	○	○
	5.4.3-0.1	x	x	x	○	○	○
	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-2.6	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○
AT-x210-24GT	5.3.4A-3.6	x	○	○	○	○	○
	5.3.4A-3.7	x	x	○	○	○	○
	5.3.4A-3.8	x	x	○	○	○	○
	5.4.3-0.1	x	x	x	○	○	○
	5.4.3-2.5	x	x	x	○	○	○
	5.4.3-2.6	x	x	x	x	○	○
	5.4.3-3.16	x	x	x	x	x	○
	5.4.4-0.4	x	x	x	x	○	○
	5.4.4-0.5	x	x	x	x	○	○
	5.4.4-1.1	x	x	x	x	x	○
	5.4.4-2.3	x	x	x	x	x	○
	5.4.4-2.4	x	x	x	x	x	○
	5.4.4-3.5	x	x	x	x	x	○
	5.4.4-3.6	x	x	x	x	x	○

機種名	ファームウェアバージョン	R12.2.1	R14.0.2	R14.2	R14.3	R14.3.2	R15.2.1
AT-x200-GE-28T	5.3.4A-3.6	×	○	○	○	○	○
	5.3.4A-3.7	×	×	○	○	○	○
	5.3.4A-3.8	×	×	○	○	○	○
	5.3.4A-3.9	×	×	×	×	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○	○	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.3	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
	5.4.4-3.7	×	○	○	○	○	○
AT-x200-GE-52T	5.3.4A-3.6	×	○	○	○	○	○
	5.3.4A-3.7	×	×	○	○	○	○
	5.3.4A-3.8	×	×	○	○	○	○
	5.3.4A-3.9	×	×	×	×	○	○
	5.4.3-0.1	×	×	×	○	○	○
	5.4.3-2.5	×	×	×	○	○	○
	5.4.3-3.16	×	×	×	×	×	○
	5.4.4-0.4	×	×	×	×	○	○
	5.4.4-0.5	×	×	×	×	○	○
	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.3	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
	5.4.4A-0.1	×	×	×	×	×	×
	5.4.4A-0.2	×	×	×	×	×	×
AT-x230-10GP	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.3	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x230-18GP	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.3	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x310-26FT	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x310-50FT	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x310-26FP	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-x310-50FP	5.4.4-1.1	×	×	×	×	×	○
	5.4.4-2.4	×	×	×	×	×	○
	5.4.4-3.6	×	×	×	×	×	○
AT-SBx3112 (AT-SBx31CFC、AT-SBx31GT24、AT-SBx31GP24、AT-SBx31GS24、AT-SBx31XS6、AT-SBx31XZ4、ATSBx3161-70、AT-SBx3165-70、AT-SBx31FAN)	14.2.1	○	×	×	×	×	×
	16.0.1	×	○	○	○	○	○
	17.1.0	×	○	○	○	○	○
CentreCOM 8748XL	2.7.6-06	○	○	○	○	○	○
CentreCOM 8748SL	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	○	×	×	×	×	×
	2.9.2-07	×	○	○	○	○	○
	2.9.2-14	×	×	×	×	○	○
	2.9.2-00	○	×	×	×	×	×
CentreCOM 8724SL V2	2.9.2-01	○	×	×	×	×	×
	2.9.2-07	×	○	○	○	○	○
	2.9.2-14	×	×	×	×	○	○
	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	○	×	×	×	×	×
CentreCOM 8724SL	2.9.2-07	×	○	○	○	○	○
	2.9.2-14	×	×	×	×	○	○
	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	○	×	×	×	×	×
	2.9.2-07	×	○	○	○	○	○
CentreCOM 8424XL	2.7.9-02	○	○	○	○	○	○
CentreCOM 8424TX	2.7.9-02	○	○	○	○	○	○
CentreCOM 8324XL (RoHS 指令対応版 / 未対応版)	2.7.9-02	○	○	○	○	○	○
CentreCOM 8316XL (RoHS 指令対応版 / 未対応版)	2.7.9-02	○	○	○	○	○	○
AW(L2) 拡張モジュール (AT-A50、AT-A51、AT-A53)	-	×	○	○	○	○	○
CentreCOM 9048XL	2.1.1	○	×	×	×	×	×
	2.1.2	○	×	×	×	×	×
	2.3.2	○	×	×	×	×	×
	2.3.3-B04	×	○	○	○	○	○
	2.1.0	○	×	×	×	×	×
CentreCOM GS924M V2	2.1.1	○	×	×	×	×	×
	2.1.2	○	×	×	×	×	×
	2.3.2	○	×	×	×	×	×
	2.3.3-B03	×	○	○	○	○	○
	2.4.1-B01	×	×	○	○	○	○
	2.1.0	○	×	×	×	×	×
	2.1.1	○	×	×	×	×	×
CentreCOM GS916M V2	2.1.2	○	×	×	×	×	×
	2.3.2	○	×	×	×	×	×
	2.3.3-B03	×	○	○	○	○	○
	2.4.1-B01	×	×	○	○	○	○
	2.1.0	○	×	×	×	×	×

機種名	ファームウェアバージョン	R12.2.1	R14.0.2	R14.2	R14.3	R14.3.2	R15.2.1
CentreCOM GS908M V2	2.1.0	○	×	×	×	×	×
	2.1.1	○	×	×	×	×	×
	2.1.2	○	×	×	×	×	×
	2.3.2	○	×	×	×	×	×
	2.3.3-B03	×	○	○	○	○	○
	2.4.1-B01	×	×	○	○	○	○
CentreCOM GS908M V2-4PS	2.4.1-B01	×	×	○	○	○	○
CentreCOM GS924M	1.6.6	○	×	×	×	×	×
	1.6.15	○	×	×	×	×	×
	1.6.17-B03	×	○	○	○	○	○
CentreCOM GS916M	1.6.6	○	×	×	×	×	×
	1.6.15	○	×	×	×	×	×
	1.6.17-B03	×	○	○	○	○	○
CentreCOM GS908M	1.6.6	○	×	×	×	×	×
	1.6.15	○	×	×	×	×	×
	1.6.17-B03	×	○	○	○	○	○
CentreCOM FS926M-PS	1.6.14-B02	×	○	○	○	○	○
	1.6.21-B01	×	×	○	○	○	○
	1.6.26-B02	×	×	×	×	○	○
	1.6.28-B02	×	×	×	×	×	○
CentreCOM FS917M-PS	1.6.14-B02	×	○	○	○	○	○
	1.6.21-B01	×	×	○	○	○	○
	1.6.26-B02	×	×	×	×	○	○
	1.6.28-B02	×	×	×	×	×	○
CentreCOM FS909M-PS	1.6.14-B02	×	○	○	○	○	○
	1.6.21-B01	×	×	○	○	○	○
	1.6.26-B02	×	×	×	×	○	○
	1.6.28-B02	×	×	×	×	×	○
CentreCOM FS926M	1.6.9	○	×	×	×	×	×
	1.6.14-B02	×	○	○	○	○	○
	1.6.21-B01	×	×	○	○	○	○
	1.6.26-B02	×	×	×	×	○	○
	1.6.28-B02	×	×	×	×	×	○
CentreCOM FS917M	1.6.9	○	×	×	×	×	×
	1.6.14-B02	×	○	○	○	○	○
	1.6.21-B01	×	×	○	○	○	○
	1.6.26-B02	×	×	×	×	○	○
	1.6.28-B02	×	×	×	×	×	○
CentreCOM FS909M	1.6.9	○	×	×	×	×	×
	1.6.14-B02	×	○	○	○	○	○
	1.6.21-B01	×	×	○	○	○	○
	1.6.26-B02	×	×	×	×	○	○
	1.6.28-B02	×	×	×	×	×	○
CentreCOM FS808M	1.0.3-B01	○	○	○	○	○	○
CentreCOM FS808M V2	2.5.1-B02	×	×	×	×	×	×
	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	○	×	×	×	×	×
	2.9.2-09	×	○	○	○	○	○
	2.9.2-11	×	×	×	○	○	○
CentreCOM AR570S	2.9.2-14	×	×	×	×	○	○
	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	○	×	×	×	×	×
	2.9.2-09	×	○	○	○	○	○
	2.9.2-11	×	×	×	○	○	○
CentreCOM AR560S	2.9.2-14	×	×	×	×	○	○
	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	○	×	×	×	×	×
	2.9.2-09	×	○	○	○	○	○
	2.9.2-11	×	×	×	○	○	○
CentreCOM AR550S	2.9.2-14	×	×	×	×	○	○
	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	×	○	○	○	○	○
	2.9.2-09	×	×	×	○	○	○
	2.9.2-11	×	×	×	×	○	○
CentreCOM AR415S	2.9.2-14	×	×	×	×	○	○
	2.9.2-00	○	×	×	×	×	×
	2.9.2-01	○	×	×	×	×	×
	2.9.2-09	×	○	○	○	○	○
	2.9.2-11	×	×	×	○	○	○
AW(Router) 拡張モジュール (AT-AR020、AT-AR021 v3)	-	×	○	○	○	○	○
CentreCOM MC2700-10 (対応モジュール:AT-MC230)	1.2.1-B01	○	○	○	○	○	○
AT-TQ3600	2.0.2	×	×	×	×	×	○ ※5
	2.0.6	×	×	×	×	×	○ ※5
	2.0.8	×	×	×	×	×	○ ※5

※1: AT-SBx81GT40は5.4.3-2.5からサポート

※2: AT-SBx81CFC960は5.4.4-0.3aからサポート

※3: AT-SBx81XS16は5.4.4-2.4からサポート

※4: AT-x600-48Tsと同一(シャーシビューやデバイス名 等)

※5: SNMP、PINGによる基本的な監視のみサポート(シャーシビューは表示されません)

○ JN ライセンス(追加ライセンス)で管理できる機器は下記のとおりです。

機種名	ファームウェアバージョン
NetScreen-50	5.4.0r10.0 以上
NetScreen-208	5.4.0r6.0 以上
SSG 550M	6.1.0r6.0 以上